

# EAST Search History

Ref #	Hits	Search Query	Dbs	Default Operator	Plurals	Time Stamp
L1	418	717/128.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/27 12:27
L2	388	1 AND (@pd<"20031123" OR @ad<"20031123" OR @prad<"20031123" OR @had<"20031123")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/27 12:27
L3	383	717/130.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/27 12:27
L4	358	3 AND (@pd<"20031123" OR @ad<"20031123" OR @prad<"20031123" OR @had<"20031123")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/27 12:28
L5	97	4 AND (trac3 WITH (memory buffer cache storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/27 12:29
L6	61	5 NOT 2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/27 12:31
L7	36	5 NOT 6	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/27 12:32
S7	5507	software SAME ((trac3 OR prob3) WITH (code OR error OR breakpoint OR (break ADJ point)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/27 10:29
S8	5068	S7 AND (@pd<"20031123" OR @ad<"20031123" OR @prad<"20031123" OR @had<"20031123")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/27 10:30

# EAST Search History

S9	379	S8 AND (temporary OR speculative OR transition3) NEAR3 (buffer OR memory OR storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/14 11:11
S10	207	S9 AND ((program OR function OR execution) WITH (status OR state))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/14 08:05
S15	11256	"717".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/14 11:13
S16	9923	S15 AND (@pd<"20031123" OR @ad<"20031123" OR @prad<"20031123" OR @had<"20031123")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/14 11:13
S17	2369	S16 AND ((trac3 OR prob3) SAME (memory OR buffer OR storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/14 11:15
S19	47	S16 AND ((trac3 OR prob3) SAME ((temporary OR speculative OR transition3) NEAR3 (memory OR buffer OR storage)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/15 08:44
S20	9	bryan NEAR cantrill.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/15 08:42
S21	22882	ibm.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/15 08:43
S22	1139	S21 and ((trac3 OR prob3) SAME (memory OR storage OR buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/15 08:46
S24	130	S21 and ((software OR program) SAME (trac3 OR prob3) SAME (memory OR storage OR buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/15 08:46


[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

 Search: ☐ The ACM Digital Library ☒ The Guide

+title:tracing


**THE GUIDE TO COMPUTING LITERATURE**

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Term used tracing

Found 1,788 of 957,974

Sort results by

relevance

[Save results to a Binder](#)Try an [Advanced Search](#)Try this search in [The Digital Library](#)

Display results

expanded form

[Search Tips](#)☐ Open results in a new window

Results 21 - 40 of 200

Result page: [previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐
**21 MPI tuning with Intel/spl copy/ Trace Analyzer and Intel/spl copy/ Trace Collector**

R. Asbury, M. Wrinn

 September 2004 **Proceedings of the 2004 IEEE International Conference on Cluster Computing CLUSTER '04**

Publisher: IEEE Computer Society

 Full text available: [Publisher Site](#) Additional Information: [full citation](#), [abstract](#)

Intel/spl copy/ Cluster Tools assist developers of distributed parallel software to analyze and optimize applications on clusters. This tutorial uses a combination of lecture, demo, and (primarily) lab exercises with these tools to introduce event-based tracing techniques for MPI applications. The tools used in this tutorial were formerly marketed as Vampir and Vampirtrace.

**22 Improving trace cache effectiveness with branch promotion and trace packing**


Sanjay Jeram Patel, Marius Evers, Yale N. Patt

 April 1998 **ACM SIGARCH Computer Architecture News , Proceedings of the 25th annual international symposium on Computer architecture ISCA '98**, Volume 26 Issue 3

Publisher: IEEE Computer Society, ACM Press

 Full text available: pdf(1.11 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)  
[Publisher Site](#)

The increasing widths of superscalar processors are placing greater demands upon the fetch mechanism. The trace cache meets these demands by placing logically contiguous instructions in physically contiguous storage. As a result, the trace cache delivers instructions at a high rate by supplying multiple fetch blocks each cycle. In this paper, we examine two techniques to improve the number of instructions delivered each cycle by the trace cache. The first technique, branch promotion, dynamically ...

**23 Ray tracing: Energy redistribution path tracing**


David Cline, Justin Talbot, Parris Egbert

July 2005 **ACM Transactions on Graphics (TOG)**, Volume 24 Issue 3

Publisher: ACM Press

 Full text available: pdf(714.23 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We present Energy Redistribution (ER) sampling as an unbiased method to solve correlated integral problems. ER sampling is a hybrid algorithm that uses Metropolis sampling-like mutation strategies in a standard Monte Carlo integration setting, rather

than resorting to an intermediate probability distribution step. In the context of global illumination, we present Energy Redistribution Path Tracing (ERPT). Beginning with an initial set of light samples taken from a path tracer, ERPT uses path muta ...

**Keywords:** Monte Carlo integration, correlated integrals, energy redistribution, global illumination, metropolis light transport, path tracing

## 24 Ray tracing: Soft shadow volumes for ray tracing



Samuli Laine, Timo Aila, Ulf Assarsson, Jaakko Lehtinen, Tomas Akenine-Möller  
July 2005 **ACM Transactions on Graphics (TOG)**, Volume 24 Issue 3

**Publisher:** ACM Press

Full text available: pdf(1.30 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We present a new, fast algorithm for rendering physically-based soft shadows in ray tracing-based renderers. Our method replaces the hundreds of shadow rays commonly used in stochastic ray tracers with a single shadow ray and a local reconstruction of the visibility function. Compared to tracing the shadow rays, our algorithm produces exactly the same image while executing one to two orders of magnitude faster in the test scenes used. Our first contribution is a two-stage method for quickly dete ...

**Keywords:** shadow algorithms, visibility determination

## 25 An Address Trace Generator for Trace-Driven Simulation of Shared

Frank Lacy  
January 1988 Technical Report

**Publisher:** University of California at Berkeley

Additional Information: [full citation](#), [abstract](#), [citations](#)

This paper presents an extension to the standard trace-driven procedure that allows for the examination of parallel programs on parallel architectures. To demonstrate the procedure, an example simulation is performed to investigate the changes resulting from modifying the architecture of the Sequent multiprocessor. The trace-driven simulation process is shown to be a very lengthy task, and other methods of predicting performance are explored.

## 26 Trace Size vs. Parallelism in Trace-and-Replay Debugging of Shared-Memory Programs

Robert H.B. Netzer  
June 1993 Technical Report

**Publisher:** Brown University

Additional Information: [full citation](#), [abstract](#), [citations](#)

Execution replay is a debugging strategy in which a program is run over and over on an input that manifests bugs. For explicitly parallel shared-memory programs, execution replay requires support of special tools --- because these programs can be nondeterministic, their executions can differ from run to run on the same input. For such programs, executions must be traced before they can be replayed for debugging. We present improvements over our past work on an adaptive tracing strategy that reco ...

## 27 A Trace-Scaling Agent for Parallel Application Tracing

Felix Freitag, Jordi Caubet, Jesus Labarta

November 2002 **Proceedings of the 14th IEEE International Conference on Tools with Artificial Intelligence (ICTAI'02)**

**Publisher:** IEEE Computer Society

Full text available:  [Publisher Site](#)

Additional Information: [full citation](#), [abstract](#)

Tracing and performance analysis tools are an important component in the development of high performance applications. Tracing parallel programs with current tracing tools, however, easily leads to large trace files with hundreds of Megabytes. The storage, visualization, and analysis of such trace files is often difficult. We propose a trace-scaling agent for tracing parallel applications, which learns the application behavior in runtime and achieves a small, easy to handle trade. The agent dynami ...

28 The Inaccuracy of Trace-Driven Simulation Using Incomplete Multiprogramming Trace Data 

J. Kelly Flanagan, Brent E. Nelson, James K. Archibald, Greg Thompson

February 1996 **Proceedings of the 4th International Workshop on Modeling, Analysis, and Simulation of Computer and Telecommunications Systems**

**Publisher:** IEEE Computer Society

Full text available:  [Publisher Site](#)

Additional Information: [full citation](#), [abstract](#), [citations](#)

Trace-driven simulation is commonly used to predict the performance of computer systems. However, existing tracing techniques produce traces inadequate for some studies: they do not usually record operating system references, and they produce relatively short traces. This paper explores the impact of these trace distortions on the performance estimates of uniprocessor memory hierarchies using multiprogramming workloads. We used a hardware monitor to capture traces under a variety of workloads an ...

29 On the prefixes of a random trace and the membership problem for context-free trace languages 

A. Bertoni, M. Goldwurm

June 1987 **Proceedings of the 5th international conference, AAECC-5 on Applied Algebra, Algebraic Algorithms and Error-Correcting Codes**

**Publisher:** Springer-Verlag New York, Inc.

Additional Information: [full citation](#), [index terms](#)

30 Trace View: A Trace Visualization Tool 

Allen D. Malony, David H. Hammerslag, David Jablonowski

September 1991 **Proceedings of the First International ACPC Conference on Parallel Computation**

**Publisher:** Springer-Verlag

Additional Information: [full citation](#)

31 Code Cloning Tracing: A "Pay per Trace" Approach 

Thierry Lafage, André Seznec, Erven Rohou, François Bodin

August 1999 **Proceedings of the 5th International Euro-Par Conference on Parallel Processing**

**Publisher:** Springer-Verlag

Additional Information: [full citation](#), [citations](#)

32 Incomplete Trace Data and Trace Driven Simulation 

J. Kelly Flanagan, Brent E. Nelson, James K. Archibald, Knut Grimsrud

January 1993 **Proceedings of the International Workshop on Modeling, Analysis, and**

**Simulation On Computer and Telecommunication Systems****Publisher:** Society for Computer SimulationAdditional Information: [full citation](#), [citations](#)**33 On the Prefixes of a Random Trace and the Membership Problem for Context-Free Trace Languages** 

Alberto Bertoni, Massimiliano Goldwurm

June 1987 **Proceedings of the 5th International Conference on Applied Algebra, Algebraic Algorithms and Error-Correcting Codes****Publisher:** Springer-VerlagAdditional Information: [full citation](#)**34 Trace Size vs. Parallelism in Trace-and-Replay Debugging of Shared-Memory Programs** 

Robert H. B. Netzer

August 1993 **Proceedings of the 6th International Workshop on Languages and Compilers for Parallel Computing****Publisher:** Springer-VerlagAdditional Information: [full citation](#)**35 Accuracy of Memory Reference Traces of Parallel Computations in Trace-Drive Simulation** 

M. A. Holliday, C. S. Ellis

January 1992 **IEEE Transactions on Parallel and Distributed Systems**, Volume 3 Issue 1**Publisher:** IEEE PressFull text available:  [Publisher Site](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

For given input the global trace generated by a parallel program in a shared memory multiprocessing environment may change as the memory architecture, and management policies change. A method is proposed for ensuring that a correct global trace is generated in the new environment. This method involves a new characterization of a parallel program that identifies its address change points and address affecting points. An extension of traditional process traces, called the intrinsic trace of each p ...

**Keywords:** Index Termsload sequences, address affecting points, address change points, address flow graph, global trace, graph-traceable, intrinsic trace, memory architecture, memory management, memory reference traces, parallel computations, parallel program, parallel programming, partial program reexecution, path expressions, process traces, shared memory multiprocessingenvironment, storage management, store sequences, trace-drive simulation

**36 Comments on "Synthetic Traces for Trace-Driven Simulation of Cache Memories"** 

S. M. Mahmud

January 1994 **IEEE Transactions on Computers**, Volume 43 Issue 1**Publisher:** IEEE Computer SocietyFull text available:  [Publisher Site](#) Additional Information: [full citation](#), [abstract](#), [references](#)

A number of errors have been discovered in the paper "Synthetic traces for trace-driven simulation of cache memories" by D. Thjebaut, J.L. Wolf and H.S. Stone. The authors of

that paper have corrected some of these errors and presented them in a corrigendum. The remaining errors are corrected and presented in this correspondence.

**Keywords:** LRU stack model, buffer storage, cache memories, performance analysis, performance evaluation, program diagnostics, program locality., synthetic traces, trace-driven simulation, virtual machines

### 37 Corrigendum to "Synthetic Traces for Trace-Driven Simulation of Cache Memories"

D. Thiebaut, J. Wolf, H. Stone

May 1993 **IEEE Transactions on Computers**, Volume 42 Issue 5

**Publisher:** IEEE Computer Society

Full text available:  [Publisher Site](#) Additional Information: [full citation](#), [abstract](#), [references](#)

Three errors appearing in the above-tilted paper by D. Thiebaut, J. Wolf, and H. Stone are corrected. They were introduced during the revision process and do not affect the results.

**Keywords:** buffer storage, cache memories, synthetic traces, system monitoring, trace-driven simulation, virtual storage.

### 38 Trace Factory: Generating Workloads for Trace-Driven Simulation of Shared-Bus Multiprocessors

Roberto Giorgi, Cosimo Antonio Prete, Gianpaolo Prina, Luigi Ricciardi

October 1997 **IEEE Parallel & Distributed Technology: Systems & Technology**, Volume 5 Issue 4

**Publisher:** IEEE Computer Society Press

Full text available:  [Publisher Site](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

A major concern with high-performance general-purpose work-stations is to speed up the execution of commands, uniprocess applications, and multiprocess applications with coarse- to medium-grain parallelism. To that end, a simple extension of a uniprocessor machine such as a shared-bus, shared-memory architecture can be employed. Both kinds of machines generally use the same OS model, and the same application can execute on these machines without recoding. However, an intrinsic limitation of the ...

### 39 Using Personal Traces in Context Space: Towards Context Trace Technology

Odd-Wiking Rahlff, Rolf Kenneth Rolfsen, Jo Herstad

January 2001 **Personal and Ubiquitous Computing**, Volume 5 Issue 1

**Publisher:** Springer-Verlag

Full text available:  [pdf\(105.65 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

Wearables are often described with a focus on providing the user with wearable information access and communication means. The *contextual information retrieval aspect* is, however, an essential feature of such systems, as in, for example, the Remembrance Agent [1] where manually entered search-terms are used for presenting relevant situational information, or as in different location-based systems [2] In this position paper we outline a general framework of contextually aware wearable syst ...

### 40 TRACE. FOR: a program for the calculation of combined major and trace-element liquid lines of descent for natural magmatic systems

Roger L. Nielsen

January 1988 **Computers & Geosciences**, Volume 14 Issue 1

**Publisher:** Pergamon Press, Inc.

Additional Information: [full citation](#), [citations](#), [index terms](#)

Results 21 - 40 of 200

Result page: [previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)